## CHAPTER – 29 ELECTRIC FIELD AND POTENTIAL EXERCISES

1.  $\varepsilon_0 = \frac{\text{Coulomb}^2}{\text{Newton m}^2} = I^1 M^{-1} L^{-3} T^4$  $\therefore F = \frac{kq_1q_2}{r^2}$ 2.  $q_1 = q_2 = q = 1.0$  C distance between = 2 km = 1 × 10<sup>3</sup> m so, force =  $\frac{kq_1q_2}{r^2}$  F =  $\frac{(9 \times 10^9) \times 1 \times 1}{(2 \times 10^3)^2}$  =  $\frac{9 \times 10^9}{2^2 \times 10^6}$  = 2,25 × 10<sup>3</sup> N The weight of body = mg =  $40 \times 10$  N = 400 N So,  $\frac{\text{wt of body}}{\text{force between charges}} = \left(\frac{2.25 \times 10^3}{4 \times 10^2}\right)^{-1} = (5.6)^{-1} = \frac{1}{5.6}$ So, force between charges = 5.6 weight of body. 3. q = 1 C, Let the distance be  $\chi$  $F = \frac{Kq^2}{\chi^2} \implies 490 = \frac{9 \times 10^9 \times 1^2}{\chi^2} \quad \text{or } \chi^2 = \frac{9 \times 10^9}{490} = 18.36 \times 10^6$  $\implies \chi = 4.29 \times 10^3 \text{ m}$ charges 'g' each F = 50 × 9.8 = 490 4. charges 'q' each, AB = 1 m wt, of 50 kg person = 50 × g = 50 × 9.8 = 490 N  $F_{C} = \frac{kq_{1}q_{2}}{ka^{2}}$  $F_{\rm C} = \frac{\mathrm{kq_1q_2}}{\mathrm{r^2}} \qquad \therefore \ \frac{\mathrm{kq^2}}{\mathrm{r^2}} = 490 \text{ N}$  $\Rightarrow q^2 = \frac{490 \times \mathrm{r^2}}{9 \times 10^9} = \frac{490 \times 1 \times 1}{9 \times 10^9}$  $\Rightarrow$  q =  $\sqrt{54.4 \times 10^{-9}}$  = 23.323 × 10<sup>-5</sup> coulomb ≈ 2.3 × 10<sup>-4</sup> coulomb 5. Charge on each proton =  $a = 1.6 \times 10^{-19}$  coulomb Distance between charges =  $10 \times 10^{-15}$  metre = r Force =  $\frac{kq^2}{r^2} = \frac{9 \times 10^9 \times 1.6 \times 1.6 \times 10^{-38}}{10^{-30}} = 9 \times 2.56 \times 10 = 230.4$  Newton 6.  $q_1 = 2.0 \times 10^{-6}$   $q_2 = 1.0 \times 10^{-6}$  r = 10 cm = 0.1 mLet the charge be at a distance x from q<sub>1</sub> q<sub>1</sub> \_\_\_\_\_ q<sub>2</sub> q<sub>1</sub> \_\_\_\_\_ q<sub>2</sub>  $F_1 = \frac{Kq_1q}{\chi^2}$   $F_2 = \frac{kqq_2}{(0.1-\chi)^2}$ — 10 cm  $=\frac{9.9\times2\times10^{-6}\times10^{9}\times q}{\gamma^{2}}$ Now since the net force is zero on the charge q.  $\Rightarrow$  f<sub>1</sub> = f<sub>2</sub>  $\Rightarrow \frac{kq_1q}{\chi^2} = \frac{kqq_2}{\left(0.1 - \chi\right)^2}$ 

$$\Rightarrow 2(0.1 - \chi)^2 = \chi^2 \Rightarrow \sqrt{2} (0.1 - \chi) = \chi$$
$$\Rightarrow \chi = \frac{0.1\sqrt{2}}{1 + \sqrt{2}} = 0.0586 \text{ m} = 5.86 \text{ cm} \approx 5.9 \text{ cm} \qquad \text{From larger charge}$$

| 7.  | $q_1 = 2 \times 10^{-6} c$ $q_2 = -1 \times 10^{-6} c$ $r = 10 cm = 10 \times 10^{-2} m$<br>Let the third charge be a so, $F_{-AC} = -F_{-BC}$   |
|-----|--|
|     | $\Rightarrow \frac{kQq_1}{r_1^2} = \frac{-KQq_2}{r_2^2} \Rightarrow \frac{2 \times 10^{-6}}{(10 + \chi)^2} = \frac{1 \times 10^{-6}}{\chi^2} \qquad \qquad$   |
|     | $\Rightarrow 2\chi^2 = (10 + \chi)^2 \Rightarrow \sqrt{2} \ \chi = 10 + \chi \Rightarrow \chi(\sqrt{2} - 1) = 10 \Rightarrow \chi = \frac{-10}{1.414 - 1} = 24.14 \ \text{cm} \ \chi$  |
| 8.  | So, distance = $24.14 + 10 = 34.14$ cm from larger charge<br>Minimum charge of a body is the charge of an electron<br>Wo, q = $1.6 \times 10^{-19}$ c $\chi = 1$ cm = $1 \times 10^{-2}$ cm  |
|     | So, F = $\frac{kq_1q_2}{r^2} = \frac{9 \times 10^9 \times 1.6 \times 1.6 \times 10^{-19} \times 10^{-19}}{10^{-2} \times 10^{-2}} = 23.04 \times 10^{-38+9+2+2} = 23.04 \times 10^{-25} = 2.3 \times 10^{-24}$   |
| 9.  | No. of electrons of 100 g water = $\frac{10 \times 100}{18}$ = 55.5 Nos Total charge = 55.5  |
|     | No. of electrons in 18 g of $H_2O = 6.023 \times 10^{23} \times 10 = 6.023 \times 10^{24}$   |
|     | No. of electrons in 100 g of H <sub>2</sub> O = $\frac{6.023 \times 10^{24} \times 100}{18}$ = 0.334 × 10 <sup>26</sup> = 3.334 × 10 <sup>25</sup>   |
| 10. | Total charge = $3.34 \times 10^{25} \times 1.6 \times 10^{-19} = 5.34 \times 10^{6}$ c<br>Molecular weight of H <sub>2</sub> O = $2 \times 1 \times 16 = 16$<br>No. of electrons present in one molecule of H <sub>2</sub> O = 10<br>18 gm of H <sub>2</sub> O has $6.023 \times 10^{23}$ molecule<br>18 gm of H <sub>2</sub> O has $6.023 \times 10^{23} \times 10$ electrons |
|     | 100 gm of H <sub>2</sub> O has $\frac{6.023 \times 10^{24}}{18} \times 100$ electrons  |
|     | So number of protons = $\frac{6.023 \times 10^{26}}{18}$ protons (since atom is electrically neutral)  |
|     | Charge of protons = $\frac{1.6 \times 10^{-19} \times 6.023 \times 10^{26}}{18}$ coulomb = $\frac{1.6 \times 6.023 \times 10^7}{18}$ coulomb   |
|     | Charge of electrons = = $\frac{1.6 \times 6.023 \times 10^7}{18}$ coulomb  |
|     | Hence Electrical force = $\frac{9 \times 10^{9} \left(\frac{1.6 \times 6.023 \times 10^{7}}{18}\right) \times \left(\frac{1.6 \times 6.023 \times 10^{7}}{18}\right)}{(10 \times 10^{-2})^{2}}$  |
|     | $= \frac{8 \times 6.023}{18} \times 1.6 \times 6.023 \times 10^{25} = 2.56 \times 10^{25} $ Newton   |
| 11. | Let two protons be at a distance be 13.8 femi  |
|     | $F = \frac{9 \times 10^9 \times 1.6 \times 10^{-38}}{(14.8)^2 \times 10^{-30}} = 1.2 \text{ N}$  |

 $r = 1 \text{ cm} = 10^{-2}$  (As they rubbed with each other. So the charge on each sphere are equal)

So, 
$$F = \frac{kq_1q_2}{r^2} \Rightarrow 0.1 = \frac{kq^2}{(10^{-2})^2} \Rightarrow q^2 = \frac{0.1 \times 10^{-4}}{9 \times 10^9} \Rightarrow q^2 = \frac{1}{9} \times 10^{-14} \Rightarrow q = \frac{1}{3} \times 10^{-7}$$
  
1.6 × 10<sup>-19</sup> c Carries by 1 electron 1 c carried by  $\frac{1}{1.6 \times 10^{-19}}$ 

$$0.33 \times 10^{-7}$$
 c carries by  $\frac{1}{1.6 \times 10^{-19}} \times 0.33 \times 10^{-7} = 0.208 \times 10^{12} = 2.08 \times 10^{11}$ 

13. 
$$F = \frac{k_{Q_{Q_{2}}}{r^{2}} = \frac{9 \times 10^{9} \times 1.6 \times 1.6 \times 10^{-19} \times 10^{-19}}{(2.75 \times 10^{-10})^{2}} = \frac{23.04 \times 10^{-20}}{7.56 \times 10^{-20}} = 3.04 \times 10^{-3}$$
  
14. Given: mass of proton = 1.67 \times 10^{-71} g = M\_{0}  
 $k = 9 \times 10^{3}$  Charge of proton = 1.6 × 10^{-19} c = C<sub>p</sub>  
 $G = 6.67 \times 10^{-11}$  Let the separation be 'r  
 $Fe = \frac{k(C_{p})^{2}}{r^{2}}$ ,  $fg = \frac{G(M_{p})^{2}}{r^{2}}$   
Now, Fe : Fg =  $\frac{K(C_{p})^{2}}{r^{2}} \times \frac{r^{2}}{G(M_{p})^{2}} = \frac{9 \times 10^{9} \times (1.6 \times 10^{-19})^{2}}{6.67 \times 10^{-11} \times (1.67 \times 10^{-77})^{2}} = 9 \times 2.56 \times 10^{36} \approx 1.24 \times 10^{36}$   
15. Expression of electrical force F =  $C \times e^{\frac{\pi}{r^{2}}}$   
Since e<sup>-1s</sup> is a pure number. So, dimensional formulae of F = dimensional formulae of C  
 $G(M_{0})^{2}$  dimensional formulae of C =  $[M_{0}^{1/2} - 1]$   
Unit of C = unit of force × unit of r^{2} = Newton - m^{2}  
Since e<sup>-1s</sup> is a number hence dimensional formulae of  
 $k = \frac{1}{dm = ntional}$  formulae of r =  $[L^{-1}]$  Unit of k = m<sup>-1</sup>  
16. Three charges are held at three corners of a equilateral frame.  
Let the charges be A, B and C. It is of length 5 cm of 0.45 m  
Force exerted by B on A = F<sub>1</sub>, force exerted by C of A = F<sub>2</sub>  
So, force exerted on A = resultant F<sub>1</sub> = F<sub>2</sub>  
 $\Rightarrow F = \frac{k_{Q_{2}}}{r^{2}} = \frac{9 \times 10^{9} \times 2.2 \times 2.2 \times 10^{-12}}{5 \times 5 \times 10^{4}} = \frac{30}{2} = \frac{14}{2} = 12 \times 10^{-6} \text{ for}$   
 $so force on C = E_{CA} + E_{CB} + E_{CD}$   
so Force on A = 2 × 1.44 ×  $\sqrt{\frac{3}{2}} = 2404 \text{ N}$ .  
17.  $q_{1} = q_{2} = q_{3} = q_{4} = 2 \times 10^{-6} \text{ for}$   
 $so force on C = E_{CA}^{2} + \frac{1}{(5 \times 10^{-2})^{2}} = \frac{1}{2} = k_{2} (\frac{1}{2 \times 10^{-4}} + \frac{1}{50\sqrt{2} \times 10^{-4}})$   
 $= \frac{9 \times 10^{9} \times 4 \times 10^{-12}}{2 \times 10^{-6} \text{ for}} = 1.44 (1.35) = 19.49$  Force along % component = 19.49  
So, Resultant R =  $\sqrt{k_{2}^{2} + \frac{19 \times 40^{-16} \times 1.6 \times 10^{-30}}{R_{1} = 0.53 \times 10^{-10} \text{ m}}$   
 $F = \frac{K_{Q}Q_{2}}{r^{2}} = \frac{9 \times 10^{9} \times 1.6 \times 1.6 \times 10^{-30}}{R_{1} = 0.53 \times 10^{-10} \text{ m}}$   
 $F = \frac{K_{Q}Q_{2}}{r} = \frac{9 \times 10^{9} \times 1.6 \times 1.6 \times 10^{-30}}{R_{1} = 0.53 \times 10^{-10} \text{ m}}$   
Now, Fe  $= \frac{M_$ 

20. Electric force feeled by 1 c due to  $1 \times 10^{-8}$  c.  $F_1 = \frac{k \times 1 \times 10^{-8} \times 1}{(10 \times 10^{-2})^2} = k \times 10^{-6} N.$  electric force feeled by 1 c due to 8 × 10<sup>-8</sup> c.  $F_2 = \frac{k \times 8 \times 10^{-8} \times 1}{(23 \times 10^{-2})^2} = \frac{k \times 8 \times \times 10^{-8} \times 10^2}{9} = \frac{28k \times 10^{-6}}{4} = 2k \times 10^{-6} N.$ Similarly  $F_3 = \frac{k \times 27 \times 10^{-8} \times 1}{(30 \times 10^{-2})^2} = 3k \times 10^{-6} N$ So,  $F = F_1 + F_2 + F_3 + \dots + F_{10} = k \times 10^{-6} (1 + 2 + 3 + \dots + 10) N$  $= k \times 10^{-6} \times \frac{10 \times 11}{2} = 55k \times 10^{-6} = 55 \times 9 \times 10^{9} \times 10^{-6} \text{ N} = 4.95 \times 10^{3} \text{ N}$ 21. Force exerted =  $\frac{kq_1^2}{2}$ =  $\frac{9 \times 10^9 \times 2 \times 2 \times 10^{-16}}{1^2}$  = 3.6 × 10<sup>-6</sup> is the force exerted on the string 22.  $q_1 = q_2 = 2 \times 10^{-7} c$  m = 100 g I = 50 cm = 5 × 10<sup>-2</sup> m d = 5 × 10<sup>-2</sup> m (a) Now Electric force T Sin θ  $F = K \frac{q^2}{r^2} = \frac{9 \times 10^9 \times 4 \times 10^{-14}}{25 \times 10^{-4}} N = 14.4 \times 10^{-2} N = 0.144 N$ T Cos θ 🛉 90° (b) The components of Resultant force along it is zero, because mg balances T cos  $\theta$  and so also. 2P T Cos θ  $F = mg = T \sin \theta$ (c) Tension on the string T sin  $\theta$  = F Tan  $\theta$  =  $\frac{F}{mg} = \frac{0.144}{100 \times 10^{-3} \times 9.8} = 0$ . But T cos  $\theta$  =  $10^2 \times 10^{-3} \times 10 = 1$  N  $\Rightarrow$  T =  $\frac{1}{2220}$  = sec  $\theta$  $\Rightarrow$  T =  $\frac{F}{\sin \theta}$ , Sin  $\theta$  = 0.145369; Cos  $\theta$  = 0.989378; 23. q = 2.0 × 10<sup>-8</sup> c n=? T =? Sin  $\theta = \frac{1}{20}$ 20 cm Force between the charges  $\mathsf{F} = \frac{\mathsf{Kq}_1\mathsf{q}_2}{r^2} = \frac{9 \times 10^9 \times 2 \times 10^{-8} \times 2 \times 10^{-8}}{(3 \times 10^{-2})^2} = 4 \times 10^{-3} \,\mathsf{N}$ mg sin  $\theta$  = F  $\Rightarrow$  m =  $\frac{F}{q \sin \theta}$  =  $\frac{4 \times 10^{-3}}{10 \times (1/20)}$  = 8 × 10<sup>-3</sup> = 8 gm 5 cm  $\cos \theta = \sqrt{1 - \sin^2 \theta} = \sqrt{1 - \frac{1}{400}} = \sqrt{\frac{400 - 1}{400}} = 0.99 \approx 1$ So, T = mg cos  $\theta$ Or T =  $8 \times 10^{-3}$  10 × 0.99 =  $8 \times 10^{-2}$  M

24. T Cos 
$$\theta = \operatorname{mg}$$
 ...(1)  
T Sin  $\theta = \operatorname{Fe}$  ...(2)  
Solving, (2)(1) we get, tan  $\theta = \frac{\operatorname{Fe}}{\operatorname{mg}} = \frac{\operatorname{kq}^2}{r} \times \frac{1}{\operatorname{mg}}$   
 $\Rightarrow \frac{2}{\sqrt{1596}} = \frac{9 \times 10^9 \times q^2}{(0.04)^2 \times 0.2 \times 9.8 \times 2} = \frac{6.27 \times 10^{-4}}{9 \times 10^9 \times 39.95} = 17 \times 10^{-16} c^2$   
 $\Rightarrow q = \sqrt{17 \times 10^{-15}} = 4.123 \times 10^{-3} c$   
25. Electric force  $= \frac{\operatorname{kq}^2}{(r\sin 0 - r \sin 0)^2} = \frac{4 c^2}{4r^2 \sin^2}$   
So, T Cos  $\theta = \operatorname{ms}$  (For equilibrium) T sin  $\theta = \operatorname{Ef}$   
Or tan  $\theta = \frac{\operatorname{Ef}}{\operatorname{mg}}$   
 $\Rightarrow mg = \operatorname{Ef} \operatorname{cot} \theta = \frac{\operatorname{kq}^2}{4r^2 \sin^2 \theta} \operatorname{cot} \theta = \frac{q^2 \operatorname{cot} \theta}{r^2 \sin^2 \theta 16 \pi \operatorname{E_0}}$   
or  $m = \frac{q^2 \operatorname{cot} \theta}{16 \operatorname{E_0}^2 \operatorname{Sin}^2 \theta}$  unit.  
26. Mass of the bob = 100 g = 0.1 kg  
So Tension in the string  $= 0.1 \times 9.8 = 0.38$  N.  
For the Tension to be 0, the charge below subdul epel the first bob.  
 $\Rightarrow \operatorname{Fe} = \frac{\operatorname{Kq}(\operatorname{q}_2)}{r^2}$   $T - \operatorname{mg} + \operatorname{Fe} 0 = T = \operatorname{mg} - T$  T = mg  
 $\Rightarrow 0.988 = \frac{9 \times 10^9 \times 22 \times 10^{-4} \operatorname{cq}_2}{(0.01)^2}$   $q = \frac{9.98 \times 10^{-2}}{9 \times 22 \times 10^{-2}} = 0.054 \times 10^{-9}$  N  
27. Let the charge on C = q  
So read on c is equal to zero  
So  $\operatorname{Fac} + \operatorname{Fas} = 0$ . But  $\operatorname{Fac} = \operatorname{Fac} \Rightarrow \operatorname{Kq}^2}{(2 \times 1)^2} = (\sqrt{2} - 1)$   
For the charge on c rest,  $\operatorname{Fac} = \operatorname{Fac} = 0$   
 $(2.414)^2 \operatorname{Kq}_2 + \operatorname{rd}^2 (2 - 1) = \operatorname{d}(\sqrt{2} - 1)$   
For the charge on rest.  $\operatorname{Fac} + \operatorname{Fac} = 0$   
 $(2.414)^2 \operatorname{Kq}_2 + \operatorname{d}^2(2 - 2) = 0 \Rightarrow \operatorname{d}^2_{\mathbf{d}} [(2.414)^2 \Omega + 2g] = 0$   
 $\Rightarrow 2q = -(2.414)^2 \Omega$   
 $\Rightarrow Q = \frac{-2}{-(\sqrt{2} + 1)^2} q = -(\frac{2}{(\frac{2}{3 + 2\sqrt{2}})} q = -(0.343) q = -(6 - 4\sqrt{2})$   
28. K = 100 Nm  $\ell = 10 \operatorname{cm} = 10^{-1} \operatorname{m} q = 2.0 \times 10^{-6} \operatorname{c} \operatorname{Find} \ell = ?$   
Force between them F = \frac{\operatorname{Kq}(q\_2}{r^2} = \frac{9 \times 10^{\frac{9}{2} \times 10^{-5} \times 2 \times 10^{-6}}{100^{-2}} = 3.6 \times 10^{-6} \operatorname{m}  
 $q = \frac{\operatorname{co}}{\sqrt{2} + 10^{-6} \operatorname{c}} = \frac{6 \times 10^{-5}}{100^{-5}} = 3.6 \times 10^{-6} \operatorname{m}$ 



(b) When x << d F =  $\frac{2kQq}{[(d/2)^2 + x^2]^{3/2}}$  x x<<d  $\Rightarrow \mathsf{F} = \frac{2k\mathsf{Q}\mathsf{q}}{\left(d^2/4\right)^{3/2}} \mathsf{X} \Rightarrow \mathsf{F} \propto \mathsf{X} \qquad \qquad \mathsf{a} = \frac{\mathsf{F}}{\mathsf{m}} = \frac{1}{\mathsf{m}} \left| \frac{2k\mathsf{Q}\mathsf{q}\mathsf{x}}{\left[\left(d^2/4\right) + \ell^2\right]} \right|$ So time period T =  $2\pi \sqrt{\frac{\ell}{q}} = 2\pi \sqrt{\frac{\ell}{a}}$ 33.  $F_{AC} = \frac{KQq}{(\ell + x)^2}$   $F_{CA} = \frac{KQq}{(\ell - x)^2}$ Net force = KQq  $\left| \frac{1}{(\ell - \mathbf{x})^2} - \frac{1}{(\ell + \mathbf{x})^2} \right|$ = KQq  $\left| \frac{(\ell + x)^2 - (\ell - x)^2}{(\ell + x)^2 (\ell - x)^2} \right|$  = KQq  $\left| \frac{4\ell x}{(\ell^2 - x^2)^2} \right|$ x <<< I = d/2 neglecting x w.r.t.  $\ell$  We get net F =  $\frac{KQq4\ell x}{\ell^4} = \frac{KQq4x}{\ell^3}$  acceleration =  $\frac{4KQqx}{m\ell^3}$ Time period =  $2\pi \sqrt{\frac{\text{displacement}}{\text{acceleration}}} = 2\pi \sqrt{\frac{\text{xm}\ell^3}{4\text{KQqx}}} = 2\pi \sqrt{\frac{\text{m}\ell^3}{4\text{KQq}}}$  $=\sqrt{\frac{4\pi^2 m\ell^3 4\pi\epsilon_0}{4Qq}} = \sqrt{\frac{4\pi^3 m\ell^3\epsilon_0}{Qq}} = \sqrt{4\pi^3 md^3\epsilon_0 8Qq} = \frac{\pi^3 md^3\epsilon_0}{2Qq} \Big]^{1/2}$ 34.  $F_e = 1.5 \times 10^{-3} \text{ N}$ ,  $q = 1 \times 10^{-6} \text{ C}$ ,  $F_e = q \times E$   $\Rightarrow E = \frac{F_e}{q} = \frac{1.5 \times 10^{-3}}{1 \times 10^{-6}} = 1.5 \times 10^3 \text{ N/C}$ 35.  $q_2 = 2 \times 10^{-6} \text{ C}$ ,  $q_1^2 = -4 \times 10^{-6} \text{ C}$  r = 20 cm = 0.2 m  $(E_1 = \text{electric field due to } q_1,$   $\Rightarrow \frac{(r-x)^2}{x^2} = \frac{-q_2}{q_1} \Rightarrow \frac{(r-1)^2}{x} = \frac{-q_2}{q_1} = \frac{4 \times 10^{-6}}{2 \times 10^{-6}} = \frac{1}{2}$  $\Rightarrow \left(\frac{r}{x}-1\right) = \frac{1}{\sqrt{2}} = \frac{1}{1414} \Rightarrow \frac{r}{x} = 1.414 + 1 = 2.414$  $\Rightarrow$  x =  $\frac{r}{2.414}$  =  $\frac{20}{2.414}$  = 8.285 cm 36. EF =  $\frac{KQ}{r^2}$ 2F Cos 30°  $5 \text{ N/C} = \frac{9 \times 10^9 \times \text{Q}}{4^2}$  $\Rightarrow \frac{4 \times 20 \times 10^{-2}}{9 \times 10^{9}} = Q \Rightarrow Q = 8.88 \times 10^{-11}$ 60° 37. m = 10, mg =  $10 \times 10^{-3}$  g ×  $10^{-3}$  kg, q =  $1.5 \times 10^{-6}$  C But qE = mg  $\Rightarrow (1.5 \times 10^{-6})$  E =  $10 \times 10^{-6} \times 10$ qE  $\Rightarrow \mathsf{E} = \frac{10 \times 10^{-4} \times 10}{1.5 \times 10^{-6}} = \frac{100}{1.5} = 66.6 \text{ N/C}$  $=\frac{100\times10^3}{1.5}=\frac{10^{5+1}}{15}=6.6\times10^3$ 

38. 
$$q = 1.0 \times 10^{-4}$$
 C,  $t = 20$  cm  
 $E = 7$   $V = 7$   
Since it forms an equipotential surface.  
So the electric field at the centre is Zero.  
 $r = \frac{2}{3}\sqrt{(2 \times 10^{-1})^2 - (10^{-1})^2} = \frac{2}{3}\sqrt{4 \times 10^{-2} - 10^{-2}}$   
 $= \frac{2}{3}\sqrt{(2 \times 10^{-1})^2 - (10^{-1})^2} = \frac{2}{3}\sqrt{4 \times 10^{-2} - 10^{-2}}$   
 $= \frac{2}{3}\sqrt{(2 \times 10^{-1})^2 - (10^{-1})^2} = \frac{2}{3}\sqrt{4 \times 10^{-2} - 10^{-2}}$   
 $= \frac{2}{3}\sqrt{(2 \times 10^{-1})^2 - (10^{-1})^2} = 23 \times 10^2 = 2.3 \times 10^2 V$   
39. We know: Electric field t": at IP due to the charged ring  
 $= \frac{KQx}{(R^2 + x^2)^{3/2}} = \frac{KQx}{R^3}$   
Force experienced IF = Q × E =  $\frac{q \times K \times Qx}{R^3}$   
Now, amplitude = x  
So, T =  $2\pi\sqrt{\frac{x}{KQqx}/mR^3}} = 2\pi\sqrt{\frac{KQx}{KQqx}} = 2\pi\sqrt{\frac{4\pi c_0 mR^3}{Qq}} = \sqrt{\frac{4\pi^2 + 4\pi c_0 mR^3}{QQ}}$   
 $\Rightarrow T = \left[\frac{16\pi^3 c_0 mR^3}{qQ}\right]^{1/2}$   
40.  $\lambda = \text{Charge per unit length =  $\frac{Q}{L}$   
 $dq_1$  for a length di =  $\lambda \times dl$   
Electric field atom components of the Electric field balances each other. Only the vertical components remain  
 $\therefore$  Net Electric field along vertical  
 $d_E = 2 \text{ E cos } \theta = \frac{Kq_2 \cos \theta}{r^2} = \frac{2K\cos \theta}{r^2} \times \lambda \times dl$  [but  $d\theta = \frac{dr}{r} = dt = rd\theta$ ]  
 $\Rightarrow \frac{2k\lambda}{r^2} \cos x rd\theta = \frac{2k\pi}{r} \cos x - d\theta$   
or  $E = \frac{\pi^2}{2}\frac{2k\pi}{R} \cos x d\theta = \frac{\pi^2}{0}\frac{2kx}{R} \sin \theta = \frac{2kx}{L^2} = \frac{2}{4\pi c_0} \times \frac{\pi^{\theta}}{R^2} = \frac{2k}{2c_0L^2}$   
41. G = 50  $\mu$ C = 50  $\times 10^{-4}$  C  
 $we have, E = \frac{2K0}{r}$  for a charged cylinder.  
 $\Rightarrow E = \frac{2 \times 9 \times 10^9 \times 50 \times 10^{-4}}{5\sqrt{3}} = \frac{9 \times 10^{-3}}{5\sqrt{3}} = 1.03 \times 10^{-3}$$ 

42. Electric field at any point on the axis at a distance x from the center of the ring is

$$\mathsf{E} = \frac{\mathsf{x}\mathsf{Q}}{4\pi\varepsilon_0(\mathsf{R}^2 + \mathsf{x}^2)^{3/2}} = \frac{\mathsf{K}\mathsf{x}\mathsf{Q}}{(\mathsf{R}^2 + \mathsf{x}^2)^{3/2}}$$

Differentiating with respect to x

$$\frac{dE}{dx} = \frac{KQ(R^2 + x^2)^{3/2} - KxQ(3/2)(R^2 + x^2)^{11/2}2x}{(r^2 + x^2)^3}$$

Since at a distance x, Electric field is maximum.

$$\frac{dE}{dx} = 0 \Rightarrow KQ (R^{2} + x^{2})^{3/2} - Kx^{2} Q3(R^{2} + x^{2})^{1/2} = 0$$
  
$$\Rightarrow KQ (R^{2} + x^{2})^{3/2} = Kx^{2} Q3(R^{2} + x^{2})^{1/2} \Rightarrow R^{2} + x^{2} = 3 x^{2}$$
  
$$\Rightarrow 2 x^{2} = R^{2} \Rightarrow x^{2} = \frac{R^{2}}{2} \Rightarrow x = \frac{R}{\sqrt{2}}$$

43. Since it is a regular hexagon. So, it forms an equipotential surface. Hence the charge at each point is equal. Hence the net entire field at the centre is Zero.

44. Charge/Unit length = 
$$\frac{Q}{2\pi a} = \lambda$$
; Charge of  $d\ell = \frac{Qd\ell}{2\pi a}C$ 

Initially the electric field was '0' at the centre. Since the element 'de is removed so, net electric field must

$$\frac{K \times q}{a^2} \qquad \text{Where } q = \text{charge of element } d\ell$$
$$= -\frac{Kq}{a} = \frac{1}{2} \sqrt{Qd\ell} \sqrt{\frac{1}{2}} = -\frac{Qd\ell}{Qd\ell}$$

$$\mathsf{E} = \frac{\mathsf{Kq}}{\mathsf{a}^2} = \frac{1}{4\pi\varepsilon_0} \times \frac{\mathsf{Qd}\ell}{2\pi\mathsf{a}} \times \frac{1}{\mathsf{a}^2} = \frac{\mathsf{Qd}\ell}{8\pi^2\varepsilon_0\mathsf{a}^3}$$

45. We know,  
Electric field at a point due to a given charge  
'E' = 
$$\frac{Kq}{r^2}$$
 Where q = charge, r = Distance between the point and the charge

So, 'E' = 
$$\frac{1}{4\pi\epsilon_0} \times \frac{q}{d^2}$$
 [:  $r = 'd'$  here]

46. E = 20 kv/m = 20 × 10<sup>3</sup> v/m, m = 80 × 10<sup>-5</sup> kg, c = 20 × 10<sup>-5</sup> C  
( 
$$aE$$
)<sup>-1</sup>

$$\tan \theta = \left(\frac{4L}{mg}\right) \qquad [T \sin \theta = mg, T \cos \theta = qe]$$
$$\tan \theta = \left(\frac{2 \times 10^{-8} \times 20 \times 10^{3}}{80 \times 10^{-6} \times 10}\right)^{-1} = \left(\frac{1}{2}\right)^{-1}$$
$$1 + \tan^{2} \theta = \frac{1}{4} + 1 = \frac{5}{4} \qquad [\cos \theta = \frac{1}{\sqrt{5}}, \sin \theta = \frac{1}{\sqrt{5}}]$$

T Sin 
$$\theta$$
 = mg  $\Rightarrow$  T  $\times \frac{2}{\sqrt{5}}$  = 80  $\times$  10<sup>-6</sup>  $\times$  10  
 $\Rightarrow$  T =  $\frac{8 \times 10^{-4} \times \sqrt{5}}{\sqrt{5}}$  = 4  $\times \sqrt{5} \times 10^{-4}$  = 8.0  $\times$ 

$$\Rightarrow T = \frac{8 \times 10^{-4} \times \sqrt{5}}{2} = 4 \times \sqrt{5} \times 10^{-4} = 8.9 \times 10^{-4}$$



q



47. Given

u = Velocity of projection,  $\vec{E}$  = Electric field intensity q = Charge; m = mass of particle Ē We know, Force experienced by a particle with charge 'q' in an electric field  $\vec{E} = qE$ ģ  $\therefore$  acceleration produced =  $\frac{qE}{}$ m m

 $\frac{2}{\sqrt{5}}$ ]



qE As the particle is projected against the electric field, hence deceleration = So, let the distance covered be 's' Then,  $v^2 = u^2 + 2as$  [where a = acceleration, v = final velocity] Here  $0 = u^2 - 2 \times \frac{qE}{m} \times S \Rightarrow S = \frac{u^2m}{2qE}$  units 48.  $m = 1 g = 10^{-3} kg$ , u = 0,  $q = 2.5 \times 10^{-4} C$ ;  $E = 1.2 \times 10^{4} N/c$ ;  $S = 40 cm = 4 \times 10^{-1} m$ a)  $F = qE = 2.5 \times 10^{-4} \times 1.2 \times 10^{4} = 3 N$ So,  $a = \frac{F}{m} = \frac{3}{10^{-3}} = 3 \times 10^3$  $E_a = mg = 10^{-3} \times 9.8 = 9.8 \times 10^{-3} N$ b) S =  $\frac{1}{2}$  at<sup>2</sup> or t =  $\sqrt{\frac{2a}{g}} = \sqrt{\frac{2 \times 4 \times 10^{-1}}{3 \times 10^3}} = 1.63 \times 10^{-2}$  sec  $v^{2} = u^{2} + 2as = 0 + 2 \times 3 \times 10^{3} \times 4 \times 10^{-1} = 24 \times 10^{2} \Rightarrow v = \sqrt{24 \times 10^{2}} = 4.9 \times 10 = 49$  m/sec work done by the electric force w =  $F \rightarrow td = 3 \times 4 \times 10^{-1} = 12 \times 10^{-1} = 1.2 \text{ J}$ 49. m = 100 g, q =  $4.9 \times 10^{-5}$ , F<sub>g</sub> = mg, Fe = qE  $\vec{E} = 2 \times 10^4 \text{ N/C}$ So, the particle moves due to the et resultant R  $R = \sqrt{F_g^2 + F_e^2} = \sqrt{(0.1 \times 9.8)^2 + (4.9 \times 10^{-5} \times 2 \times 10^4)^2}$  $= \sqrt{0.9604 + 96.04 \times 10^{-2}} = \sqrt{1.9208} = 1.3859 \text{ N}$  $\tan \theta = \frac{F_g}{F_e} = \frac{mg}{qE} = 1$  So,  $\theta = 45^\circ$ ... Hence path is straight along resultant force at an angle 45° with horizontal Disp. Vertical = (1/2) × 9.8 × 2 × 2 = 19.6 m R ma Disp. Horizontal = S = (1/2) at<sup>2</sup> =  $\frac{1}{2} \times \frac{qE}{m} \times t^2 = \frac{1}{2} \times \frac{0.98}{0.1} \times 2 \times 2 = 19.6 \text{ m}$ Net Dispt. =  $\sqrt{(19.6)^2 + (19.6)^2} = \sqrt{768.32} = 27.7 \text{ m}$ 50. m = 40 g, q = 4 ×  $10^{-6}$  C Time for 20 oscillations = 45 sec. Time for 1 oscillation =  $\frac{45}{20}$  sec When no electric field is applied, T =  $2\pi \sqrt{\frac{\ell}{g}} \Rightarrow \frac{45}{20} = 2\pi \sqrt{\frac{\ell}{10}}$ qE m  $\Rightarrow \frac{\ell}{10} = \left(\frac{45}{20}\right)^2 \times \frac{1}{4\pi^2} \Rightarrow \ell = \frac{(45)^2 \times 10}{(20)^2 \times 4\pi^2} = 1.2836$ ma When electric field is not applied. T =  $2\pi \sqrt{\frac{\ell}{q-a}}$  [a =  $\frac{qE}{m}$  = 2.5] =  $2\pi \sqrt{\frac{1.2836}{10-2.5}}$  = 2.598 Time for 1 oscillation = 2.598 Time for 20 oscillation = 2.598 × 20 = 51.96 sec ≈ 52 sec. 51. F = qE, F = -Kx $\rightarrow F$ Where x = amplitude qE = -Kx or  $x = \frac{-qE}{\kappa}$ 29.10

52. The block does not undergo. SHM since here the acceleration is not proportional to displacement and not always opposite to displacement. When the block is going towards the wall the acceleration is along displacement and when going away from it the displacement is opposite to acceleration. Time taken to go towards the wall is the time taken to goes away from it till velocity is

$$d = ut + (1/2) at^{2}$$
  

$$\Rightarrow d = \frac{1}{2} \times \frac{qE}{m} \times t^{2}$$
  

$$\Rightarrow t^{2} = \frac{2dm}{qE} \Rightarrow t = \sqrt{\frac{2md}{qE}}$$

... Total time taken for to reach the wall and com back (Time period)

$$= 2t = 2\sqrt{\frac{2md}{qE}} = \sqrt{\frac{8md}{qE}}$$

53. E = 10 n/c, S = 50 cm = 0.1 m

$$E = \frac{dV}{dr} \text{ or, } V = E \times r = 10 \times 0.5 = 5 \text{ cm}$$

54. Now,  $V_B - V_A$  = Potential diff = ? Charge = 0.01 C Work done = 12 J Now, Work done = Pot. Diff × Charge

$$\Rightarrow$$
 Pot. Diff =  $\frac{12}{0.01}$  = 1200 Volt

55. When the charge is placed at A,

$$E_{1} = \frac{Kq_{1}q_{2}}{r} + \frac{Kq_{3}q_{4}}{r}$$

$$= \frac{9 \times 10^{9}(2 \times 10^{-7})^{2}}{0.1} + \frac{9 \times 10^{9}(2 \times 10^{-7})^{2}}{0.1}$$

$$= \frac{2 \times 9 \times 10^{9} \times 4 \times 10^{-14}}{0.1} = 72 \times 10^{-4} \text{ J}$$
When charge is placed at B,  

$$E_{2} = \frac{Kq_{1}q_{2}}{r} + \frac{Kq_{3}q_{4}}{r} = \frac{2 \times 9 \times 10^{9} \times 4 \times 10^{-14}}{0.2} = 36 \times 10^{-4} \text{ J}$$
Work done =  $E_{1} - E_{2} = (72 - 36) \times 10^{-4} = 36 \times 10^{-4} \text{ J} = 3.6 \times 10^{-3} \text{ J}$ 
56. (a) A = (0, 0) B = (4, 2)  
V\_{B} - V\_{A} = E \times d = 20 \times \sqrt{16} = 80 \text{ V}
(b) A(4m, 2m), B = (6m, 5m)  
 $\Rightarrow V_{B} - V_{A} = E \times d = 20 \times \sqrt{(6-4)^{2}} = 20 \times 2 = 40 \text{ V}$ 
(c) A(0, 0) B = (6m, 5m)  
 $\Rightarrow V_{B} - V_{A} = E \times d = 20 \times \sqrt{(6-0)^{2}} = 20 \times 6 = 120 \text{ V}.$ 
57. (a) The Electric field is along x-direction  
Thus potential difference between (0, 0) and (4, 2) is,  
 $\delta V = -E \times \delta x = -20 \times (40) = -80 \text{ V}$   
Potential energy (U\_{B} - U\_{A}) between the points =  $\delta V \times q$   
 $= -80 \times (-2) \times 10^{-4} = 160 \times 10^{-4} = 0.016 \text{ J}.$ 
(b)  $A = (4m, 2m)$  B = (6m, 5m)  
 $\delta V = -E \times \delta x = -20 \times 2 = -40 \text{ V}$   
Potential energy (U\_{B} - U\_{A}) between the points =  $\delta V \times q$   
 $= -80 \times (-2) \times 10^{-4} = 160 \times 10^{-4} = 0.016 \text{ J}.$ 
(b)  $A = (4m, 2m)$  B = (6m, 5m)  
 $\delta V = -E \times \delta x = -20 \times 2 = -40 \text{ V}$   
Potential energy (U\_{B} - U\_{A}) between the points =  $\delta V \times q$   
 $= -40 \times (-2 \times 10^{-4}) = 80 \times 10^{-4} = 0.008 \text{ J}$ 

(c) A = (0, 0) B = (6m, 5m)  

$$\delta V = -E \times \delta x = -20 \times 6 = -120 V$$
  
Potential energy (U<sub>B</sub> - U<sub>A</sub>) between the points A and B  
 $= \delta V \times q = -120 \times (-2 \times 10^{-4}) = 240 \times 10^{-4} = 0.024 J$ 



 $2 \times 10^{-7}$  A  $2 \times 10^{-7}$ 1 3 2 20 cm 20 cm B



58. 
$$E = [(20 + j30) \text{ N/CV} = at (2m, 2m) r = (2i + 2i)$$
  
So,  $V = -\tilde{E} \times \tilde{r} = -((20 + 30J) (2\tilde{i} + 2i) = -(2 \times 20 + 2 \times 30) = -100 \text{ V}$   
59.  $E = \tilde{i} \times Ax = 100 \tilde{i}$   
 $\int_{0}^{0} dv = -\int E \times dt$   $V = -\int_{0}^{1} 10x \times dx = -\int_{0}^{10} \frac{1}{2} \times 10 \times x^{2}$   
 $0 - V = -\left[\frac{1}{2} \times 1000\right] = -500 \Rightarrow V = 500 \text{ Volts}$   
60.  $V(x, y, z) = A(xy + yz + zx)$   
(a)  $A = \frac{Voit}{m^{2}} = \frac{ML^{2}\tau^{-2}}{ITt^{2}} = [MT^{-3}T^{-1}]$   
(b)  $E = -\frac{\delta Vi}{\delta x} - \frac{\delta Vj}{\delta z} - \frac{\delta Vk}{\delta z} = -\left[\frac{\delta}{\delta x}[A(xy + yz + zx) + \frac{\delta}{\delta y}[A(xy + yz + zx) + \frac{\delta}{\delta z}[A(xy + yz + zx)]\right]$   
 $= -\left[(Ay + Az)i + (Ax + Az)i + (Ay + Ax)k\right] = -A(y + z)i + A(x + z)j + A(x + z)i + A(x$ 

64. Ē = 1000 N/C (a) V = E × d $\ell$  = 1000 ×  $\frac{2}{100}$  = 20 V 2 cm (b) u = ?  $\vec{E}$  = 1000, = 2/100 m  $a = \frac{F}{m} = \frac{q \times E}{m} = \frac{1.6 \times 10^{-19} \times 1000}{9.1 \times 10^{-31}} = 1.75 \times 10^{14} \text{ m/s}^2$  $0 = u^2 - 2 \times 1.75 \times 10^{14} \times 0.02 \Rightarrow u^2 = 0.04 \times 1.75 \times 10^{14} \Rightarrow u = 2.64 \times 10^6 \text{ m/s}.$ (c) Now,  $U = u \cos 60^{\circ}$  V = 0, s = ?u cos 60°  $a = 1.75 \times 10^{14} \text{ m/s}^2$   $V^2 = u^2 - 2as$ E | 60°  $\Rightarrow s = \frac{(uCos60^{\circ})^{2}}{2 \times a} = \frac{\left(2.64 \times 10^{6} \times \frac{1}{2}\right)^{2}}{2 \times 1.75 \times 10^{14}} = \frac{1.75 \times 10^{12}}{3.5 \times 10^{14}} = 0.497 \times 10^{-2} \approx 0.005 \text{ m} \approx 0.50 \text{ cm}$ 65. E = 2 N/C in x-direction (a) Potential aat the origin is O.  $dV = -E_x dx - E_y dy - E_z dz$  $\Rightarrow$  V – 0 = – 2x  $\Rightarrow$  V = – 2x (b)  $(25 - 0) = -2x \Rightarrow x = -12.5 \text{ m}$ (c) If potential at origin is 100 v,  $v - 100 = -2x \Rightarrow V = -2x + 100 = 100 - 2x$ (d) Potential at  $\infty$  IS 0,  $V - V' = -2x \Rightarrow V' = V + 2x = 0 + 2\infty \Rightarrow V' = \infty$ Potential at origin is  $\infty$ . No, it is not practical to take potential at  $\infty$  to be zero. 66. Amount of work done is assembling the charges is equal to the net potential energy potential energy So, P.E. =  $U_{12} + U_{13} + U_{23}$ =  $\frac{Kq_1q_2}{r_{12}} + \frac{Kq_1q_3}{r_{13}} + \frac{Kq_2q_3}{r_{23}} = \frac{K \times 10^{-10}}{r} [4 \times 2 + 4 \times 3 + 10^{-10}]$ 10 cm  $= \frac{9 \times 10^9 \times 10^{-10}}{10^{-1}} (8 + 12 + 6) = 9 \times 26 = 234 \text{ J}$ 67. K.C. decreases by 10 J. Potential = 100 v to 200 v. So, change in K.E = amount of work done  $\Rightarrow$  10J = (200 - 100) v × q<sub>0</sub>  $\Rightarrow$  100 q<sub>0</sub> = 10 v  $\Rightarrow$  q<sub>0</sub> =  $\frac{10}{100}$  = 0.1 C 68. m = 10 g; F =  $\frac{KQ}{r} = \frac{9 \times 10^9 \times 2 \times 10^{-4}}{10 \times 10^{-2}}$  F = 1.8 × 10<sup>-7</sup>  $\begin{array}{c} O \longleftarrow 10 \text{ cm} \longrightarrow O \\ 2 \times 10^{-4} \text{ c} \end{array}$  $F = m \times a \Rightarrow a = \frac{1.8 \times 10^{-7}}{10 \times 10^{-3}} = 1.8 \times 10^{-3} \text{ m/s}^2$  $V^2 - u^2 = 2as \Rightarrow V^2 = u^2 + 2as$  $V = \sqrt{0 + 2 \times 1.8 \times 10^{-3} \times 10 \times 10^{-2}} = \sqrt{3.6 \times 10^{-4}} = 0.6 \times 10^{-2} = 6 \times 10^{-3} \text{ m/s}.$ 69.  $q_1 = q_2 = 4 \times 10^{-5}$ ; s = 1m, m = 5 g = 0.005 kg  $F = K \frac{q^2}{r^2} = \frac{9 \times 10^9 \times (4 \times 10^{-5})^2}{1^2} = 14.4 \text{ N}$  $A \bullet B$   $+4 \times 10^{-5} - 4 \times 10^{-5}$ Acceleration 'a' =  $\frac{F}{m} = \frac{14.4}{0.005} = 2880 \text{ m/s}^2$ Now u = 0, s = 50 cm = 0.5 m,  $a = 2880 \text{ m/s}^2$ , V =?  $V^2 = u^2 + 2as \Rightarrow V^2 = 2 \times 2880 \times 0.5$  $\Rightarrow$  V =  $\sqrt{2880}$  = 53.66 m/s  $\approx$  54 m/s for each particle

 $P = 3.4 \times 10^{-30}$   $\tau = PE \sin \theta$ 70. E = 2.5 × 104  $= P \times E \times 1 = 3.4 \times 10^{-30} \times 2.5 \times 10^4 = 8.5 \times 10^{-26}$ 71. (a) Dipolemoment = q × ł (Where q = magnitude of charge l = Separation between the charges)  $-2 \times 10^{-6} \text{ C}$  $= 2 \times 10^{-6} \times 10^{-2}$  cm  $= 2 \times 10^{-8}$  cm (b) We know, Electric field at an axial point of the dipole  $= \frac{2KP}{r^3} = \frac{2 \times 9 \times 10^9 2 \times 10^{-8}}{(1 \times 10^{-2})^3} = 36 \times 10^7 \text{ N/C}$ (c) We know, Electric field at a point on the perpendicular bisector about 1m away from centre of dipole.  $= \frac{KP}{r^3} = \frac{9 \times 10^9 2 \times 10^{-8}}{1^3} = 180 \text{ N/C}$ 72. Let -q & -q are placed at A & C Where 2q on B So length of A = dSo the dipole moment =  $(q \times d) = P$ So, Resultant dipole moment  $P = [(qd)^{2} + (qd)^{2} + 2qd \times qd \cos 60^{\circ}]^{1/2} = [3 q^{2}d^{2}]^{1/2} = \sqrt{3} qd = \sqrt{3} R$ 73. (a) P = 2qa Electric field intensity (b)  $E_1 \sin \theta = E_2 \sin \theta$ =  $E_1 \cos \theta$  +  $E_2 \cos \theta$  = 2  $E_1 \cos \theta$ θ  $E_1 = \frac{Kqp}{a^2 + d^2}$  so  $E = \frac{2KPQ}{a^2 + d^2} \frac{a}{(a^2 + d^2)^{1/2}}$ E₁ d  $= \frac{2Kqa}{(d^2)^{3/2}} = \frac{PK}{d^3}$ When a << d 74. Consider the rod to be a simple pendulum. T =  $2\pi\sqrt{l/g}$  (l = length, q = acceleration) For simple pendulum Now, force experienced by the charges Now, acceleration =  $\frac{F}{m} = \frac{Eq}{m}$ F = Eq Hence length = a so, Time period =  $2\pi \sqrt{\frac{a}{(Eq/m)}} = 2\pi \sqrt{\frac{ma}{Eq}}$ 75. 64 grams of copper have 1 mole 6.4 grams of copper have 0.1 mole 1 mole = No atoms  $0.1 \text{ mole} = (\text{no} \times 0.1) \text{ atoms}$  $= 6 \times 10^{23} \times 0.1$  atoms  $= 6 \times 10^{22}$  atoms  $6 \times 10^{22}$  atoms contributes  $6 \times 10^{22}$  electrons. 1 atom contributes 1 electron

\* \* \* \* \*